

NET SHORE DRIFT FROM BEACHES OF MERCHANT UNTIL PANTAI KELULUT
MARANG

MOHD HARRIS BIN HARON

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE
UNIVERSITI MALAYSIA TERENGGANU
2008

CN 6324

1100061794

Perpustakaan Sultanah Nur Zahirah (UMT)
Universiti Malaysia Terengganu

J P 17 FMSM 2 2008



1100061794

Net shore drift from beaches of Merchang until Pantai Kelulut, Marang / Mohd Harris Haron.



**PERPUSTAKAAN SULTANAH NUR ZAHIRAH
UNIVERSITI MALAYSIA TERENGGANU (UMT)
21030 KUALA TERENGGANU**

1100061794

Lihat sebelah

HAK MILIK
PERPUSTAKAAN SULTANAH NUR ZAHIRAH UMT

NET SHORE DRIFT FROM BEACHES OF MERCHANT UNTIL PANTAI KELULUT,
MARANG.

By

MOHD HARRIS BIN HARON

Research Report submitted in partial fulfillment of
the requirements for the degree of
Bachelor of Science (Marine Science)

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE
UNIVERSITI MALAYSIA TERENGGANU
2008

This project report should be cited as:

Harris, M., 2008. Net shore drift from Merchang until Kelulut. Undergraduate thesis, Bachelor of Science (Marine Science), Faculty of Maritime Studies and Marine Science, Universiti Malaysia Terengganu, Terengganu. 70p.

No part of this project report may be reproduced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from the author and the supervisor(s) of the project.

1100061794



**JABATAN SAINS MARIN
FAKULTI PENGAJIAN MARITIM DAN SAINS MARIN
UNIVERSITI MALAYSIA TERENGGANU**

**PENGAKUAN DAN PENGESAHAN LAPORAN
PROJEK PENYELIDIKAN I DAN II**

Adalah ini diakui dan disahkan bahawa laporan penyelidikan bertajuk:

NET SHORE DRIFT FROM BEACHES OF MERCHANT UNTIL PANTAI KELULUT, MARANG Oleh **MOHD HARRIS BIN HARON**, No.Matrik UK 12517 telah diperiksa dan semua pembetulan yang disarankan telah dilakukan. Laporan ini dikemukakan kepada Jabatan Sains Marin sebagai memenuhi sebahagian daripada keperluan memperoleh Ijazah Sarjana Muda Sains (Sains Samudera), Fakulti Pengajian Maritim dan Sains Marin, Universiti Malaysia Terengganu.

Disahkan oleh:

Penyelia Utama **PROF. MADYA DR. ROSNAN YAACOB**
Timbalan Pengarah
Institut Oseanografi
Universiti Malaysia Terengganu (UMT)
Cop Rasmi: 21030 Kuala Terengganu, Terengganu.

Tarikh:**5/5/08**.....

.....
DR. ANTONINA ABDULLAH
Lecturer
Department of Marine Science
Nama: Faculty of Maritime Studies and Marine Science
Cop Rasmi Universiti Malaysia Terengganu (UMT)
21030 Kuala Terengganu.

Tarikh:**5 May 2008**.....

Ketua Jabatan Sains Marin

Nama: **DR. RAZAK ZAKARIYA**
Ketua Jabatan Sains Marin
Cop Rasmi: Fakulti Pengajian Maritim dan Sains Marin
Universiti Malaysia Terengganu
(UMT)

.....**11/5/08**.....
Tarikh:

ACKNOWLEDGEMENT

Alhamdulillah, thanks to Allah swt. For giving me strength, patience, courage, forces, and confidence to complete my thesis in time. Without His blessings, i would not have been successful in this endeavour.

I want to give my special thanks to my first, Asc. Prof. Dr. Rosnan Yaacob and second supervisor, Dr. Nor Antonina Abdullah for believing and trusting me in handling my project. Without their ideas and comment, i would never be able to do my research properly.

Special credit to Mr. Sulaiman, Mr. Raja, and Mr. Kamari for their help throughout my studies. Thankfulness to all my friends who helped and supported me during sampling and laboratory work. Lastly, to my beloved father and mother, I always hope Allah swt will bless you both.

TABLE OF CONTENTS

Contents	Page
Thesis Approval Form	ii
Acknowledgement	iii
Table of Contents	iv
List of Tables	vii
List of Figures	ix
List of Abbreviation/Symbol	x
List of Appendices	xi
Abstract	xii
Abstrak	xiii
1.0 Introduction	1
1.1 Objectives	3
1.2 Justification	3
2.0 Literature Reviews	
2.1 Coast or beach	4
2.2 Erosion	5
2.3 Net Shore Drift	6
2.4 Sedimentology	7
2.5 Coastal Profile	8
3.0 Methodology	
3.1 Study site location	10
3.2 Measurement of physical parameter	11
3.3 Measurement of coastal profile	11
3.4 Sampling of beach sediment	12
3.5 Dry sieve analysis	13
3.6 Sedimentological calculation	13

3.6.1	Mean	14
3.6.2	Standard Deviation	14
3.6.3	Skewness	15
3.6.4	Kurtosis	15
3.7	Determination of Net Shore Drift	16
3.8	Materials	16
4.0	Result	
4.1	Physical Parameter Analysis	
4.1.1	Rainfall Distribution	17
4.1.2	Wind	18
4.1.3	Tides	19
4.2	Beach Profile Analysis	
4.2.1	Beach profile	20
4.2.2	Beach slope	30
4.3	Grain Size Analysis	
4.3.1	Mean	32
4.3.2	Standard Deviation	35
4.3.3	Skewness	39
4.3.4	Kurtosis	43
4.4	Net Shore drift	
4.4.1	Sediment Size Distribution	47
4.4.2	Beach Slope	50
4.4.3	Beach width	51

5.0 Discussion

5.1	Physical Parameter Analysis	
5.1.1	Rainfall distribution and wind	53
5.1.2	Tides	54
5.2	Beach profile analysis	55
5.3	Sediment size analysis	
5.3.1	Mean	56

5.3.2	Sorting	57
5.3.3	Skewness	59
5.3.4	Kurtosis	60
5.4	Net shore drift determination	
5.4.1	Sediment size distribution	60
5.4.2	Beach slope	61
5.4.3	Beach width	62
6.0	Conclusion	64
References		65
Appendices		67
Curriculum Vitae		63

List of Tables

		Page
Table 4.1	: Rainfall distribution of Terengganu	17
Table 4.2	: Average windspeed of Terengganu	18
Table 4.3	: Tides of Terengganu	19
Table 4.4	: Slope Value, Slope's degree, and Average	31
Table 4.5	: Average mean size during August (\emptyset)	34
Table 4.6	: Average mean size during September (\emptyset)	34
Table 4.7	: Average mean size during November (\emptyset)	34
Table 4.8	: Average Sorting Value during August (\emptyset)	38
Table 4.9	: Average Sorting Value during September (\emptyset)	38
Table 4.10	: Average Sorting Value during November (\emptyset)	38
Table 4.11	: Average Skewness value during August	42
Table 4.12	: Average Skewness value during September	42
Table 4.13	: Average Skewness value during November	42
Table 4.14	: Average Kurtosis Value during August (\emptyset)	46
Table 4.15	: Average Kurtosis Value during September (\emptyset)	46
Table 4.16	: Average Kurtosis Value during November (\emptyset)	46
Table 4.17	: Mean and Sorting Value of Mid Tide Area during August (\emptyset)	49
Table 4.18	: Mean and Sorting Value of Mid Tide Area during August (\emptyset)	49
Table 4.19	: Mean and Sorting Value of Mid Tide Area during August (\emptyset)	49
Table 4.20	: Average Mean and Sorting Value of Mid Tide Area	49
Table 4.21	: Min, Max, and Average of Beach Slope's Degree with Stations	51

List of Figures

	Page
Figure 3.1 : Sampling locations of study site area	10
Figure 3.2 : Transit c410 Sokkisha	11
Figure 3.3 : Global Positioning System	12
Figure 4.1 (a) : Beach profile at station 1	22
Figure 4.1 (b) : Beach profile at station 2	23
Figure 4.1 (c) : Beach profile at station 3	24
Figure 4.1 (d) : Beach profile at station 4	25
Figure 4.1 (e) : Beach profile at station 5	26
Figure 4.1 (f) : Beach profile at station 6	27
Figure 4.1 (g) : Beach profile at station 7	28
Figure 4.1 (h) : Beach profile at station 8	29
Figure 5.1 : Graph of average mean at every station	57
Figure 5.2 : Graph of Average sorting value at every station	58
Figure 5.3 : Graph of Average Skewness at every station	59
Figure 5.4 : Map of Net shore drift direction at sampling site	63

List of abbreviations/symbols

1. Ø Phi
2. km Kilometer
3. m Meter
4. mm Milimeter
5. μm Mikrometer
6. g gram
7. m/s meter per second
8. ° degree
9. NSD Net shore drift

List of Appendices

	Page
Appendix 1 : Sediment size according to Wentworth (1922) and Briggs (1977)	67
Appendix 2 : Measurement of beach profile	68
Appendix 3 : Collecting samples of sand	69

Abstract

This study was conducted from beaches of Merchang until Pantai Kelulut, Marang, Terengganu. Sampling was conducted in August 2007, September 2007, and November 2007. Study site was divided into 8 stations. Measurement of beach profile covering from berm area until beach low tide (LT) zone. For grain size analysis, samples were taken from high tide zone (HT), mid tide zone (MT), and low tide zone (LT) of each stations. Beach profile at every station always changed from time to time. Coarse sand, moderately well sorted sediment with very fine skewed and extremely leptokurtic dominates this study. Sediment size, beach slope, and average beach width were used to determine NSD. Net shore drift direction was from station 2 to station 1, from station 2 to station 6, from station 7 to station 5, and from station 7 to station 8.