

RELATIONSHIP BETWEEN VEGETATION INDICES AND
DENDROMETRIC PARAMETERS IN KELANTAN
DELTA MANGROVE ECOSYSTEM

MOHD AZHAR BIN MOHD ZIN

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE
UNIVERSITI MALAYSIA TERENGGANU
2008

**RELATIONSHIP BETWEEN VEGETATION INDICES AND
DENDROMETRIC PARAMETERS IN KELANTAN
DELTA MANGROVE ECOSYSTEM**

By

Mohd Azhar Bin Mohd Zin

**Research Report submitted in partial fulfillment of
the requirements for degree of
Bachelor of Science (Marine Science)**

**Department of Marine Science
Faculty of Maritime Studies and Marine Science
UNIVERSITI MALAYSIA TERENGGANU
2008**

This project should be cited as:

Mohd Azhar, M.Z 2008. Relationship between Vegetation Indices and Dendrometric Parameters in Kelantan Delta Mangrove Ecosystem. Undergraduate thesis, Bachelor of Science (Marine Science), Faculty of Maritime Studies and Marine Science, University Malaysia Terengganu. p

No part of this project report may be produced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be sorted in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from author and the supervisor(s) of the project.

1100061790



**JABATAN SAINS MARIN
FAKULTI PENGAJIAN MARITIM DAN SAINS MARIN
UNIVERSITI MALAYSIA TERENGGANU**

**PENGAKUAN DAN PENGESAHAN
LAPORAN PROJEK PENYELIDIKAN I DAN II**

Adalah ini diakui dan disahkan bahawa laporan penyelidikan bertajuk

Relationship between Vegetation Indices and Dendrometric Parameters in Kelantan Delta Mangrove Ecosystem oleh **Mohd Azhar Mohd Zin**, No. Matrik **UK11955** telah diperiksa dan semua pembetulan yang disarankan telah dilakukan. Laporan ini dikemukakan kepada Jabatan Sains Marin sebagai memenuhi sebahagian daripada keperluan memperoleh Ijazah Sarjana Muda Sains (Sains Samudera), Fakulti Pengajian Maritim dan Sains Marin, Universiti Malaysia Terengganu.

Disahkan oleh:

DR. BEHARA SATYANARAYANA
Lecturer
Institute of Oceanography
Universiti Malaysia Terengganu (UMT)
21030 Kuala Terengganu, Terengganu
MALAYSIA

Penyelia Utama

Nama: *Behara Satyanarayana*

Cop Rasmi:

Tarikh: *5 May 2008*

Penyelia Kedua (jika ada)

Nama: **PROF. MADYA SULONG IBRAHIM**
Pensyarah

Cop Rasmi

Institut Oseanografi
Universiti Malaysia Terengganu (UMT)
21030 Kuala Terengganu, Terengganu.

Tarikh:

Ketua Jabatan Sains Marin

Nama: **DR. RAZAK ZAKARIYA**
Ketua Jabatan Sains Marin

Cop Rasmi: **Fakulti Pengajian Maritim dan Sains Marin
Universiti Malaysia Terengganu
(UMT)**

Tarikh: *11/5/08*

ACKNOWLEDGEMENTS

In the name of Allah, the Most Merciful and Most Compassionate.

Alhamdulillah, praise to Allah for the blessing which enabled me to finish this project. I would like to take this opportunity to express my sincere gratitude and appreciation to those who had helped me to make this project running smoothly.

First and foremost, I am grateful to my main supervisor, Dr. Behara Satyanarayana for the ideas before the beginning and throughout the thesis writing projects and also not forgotten my co-supervisor Associate Prof. Sulong Ibrahim for the encouragement, critics, suggestion and correction of the thesis.

I would like to acknowledge and pleasure thank to the Staffs of INOS Mr. Mohamad Nasir, Mr. Azri and also staff at remote sensing laboratory Mr. Wan Hairi who had taught and guided me in constructing the final map using Remote Sensing and Geographic Information Systems (GIS) such as ERDAS and ArcView 3.2. Also appreciations to all UMT's staff for their cooperation and encouragement throughout the period of the project.

Last but not least, I would like to express my acknowledgement to my beloved parents, siblings, housemates, coursemates and special thank to Rafiuddin for helping me during the project and Fadzillah for their support and their love. Also not forget my teammates who had helping me during my field checking.

TABLE OF CONTENTS

CONTENTS	PAGE
ACKNOWLEDGEMENTS	ii
TABLE OF CONTENTS	iii
LIST OF TABLES	vii
LIST OF FIGURES	viii
LIST OF ABBREVIATIONS	ix
LIST APPENDICES	x
ABSTRACT	xi
ABSTRAK	xii
CHAPTER 1 INTRODUCTION	
1.1 Introduction	1
1.2 Justification of Study	3
1.3 Objectives	4
CHAPTER 2 LITERATURE REVIEW	
2.1 Mangrove Distribution	5
2.2 Mangrove Importance and Threats	6
2.3 Vegetation at the Mangrove	7
2.4 Classification of Mangrove Vegetation	8

2.5 Remote Sensing and Geographical Information Systems (GIS)	9
2.6 Mangrove Mapping	12
2.7 Landsat Thematic Mapper (TM)	13

CHAPTER 3 METHODOLOGY

3.1 Study Area	16
3.2 Climate and Tides	18
3.3 Ground Data Collection	18
3.3.1 Point Centred Quarter Method (PCQM)	19
3.4 Satellite Data Analysis	20
3.4.1 Geometric Correction	21
3.4.2 Subset of Study Area	21
3.4.3 Ground Truth	21
3.4.4 Image Classification	22
3.4.5 Accuracy Assessment	24
3.4.6 Normalized Different Vegetation Index	24
3.4.7 Relationship between Vegetation Parameters and Dendrometric Parameters	25
3.5 Materials	26

CHAPTER 4 RESULT

4.1 Geometric Correction	27
4.2 Ground Truth	29
4.3 Supervised Classification	32
4.4 Accuracy Assessment	34
4.5 Area Statistics	38
4.6 Normalized Different Vegetation Index (NDVI)	39
4.7 Relationship between NDVI and Dendrometric Parameters	41

CHAPTER 5 DISCUSSION

5.1 Image Classification	46
5.2 Accuracy Assessment	47
5.3 Land Cover/Area Statistics	48
5.4 Relationship between Vegetation Indices (NDVI) and Dendrometric Parameters	49

CHAPTER 6 CONCLUSION AND RECOMMENDATION

6.1 Conclusions	50
6.2 Recommendations	52

REFERENCES	53
APPENDICES	56
CURRICULUM VITAE	61

LIST OF TABLES

Table	Page
2.1 Spectral Resolution of 7 Bands Provides by Landsat TM	13
4.1 RMS Error for Landsat TM 2000 (Path; Row-127/56)	28
4.2 Sampling Station Coordinates and Ground Truth / Inventory	30
4.3 Lookup Table between Land-Use Map Classes and Ground Truth	34
4.4 Confusion Matrix of Supervised Classification and Ground Truth	35
4.5 The Users and Producers Accuracy	37
4.6 Distribution of Mangrove Forest Types in Kelantan Delta in Year 2000	38
4.7 Normalised Different Vegetation Index (NDVI)	39
4.8 Mangrove Classes – Wise Basal Area and Density	42
4.9 Analysis of Variance (ANOVA)	44
5.1 Mangrove Forest Area of Kelantan Delta	48

LIST OF FIGURES

Figure	Page
3.1 Mangrove Islands in Kelantan Delta	17
3.2 Sampling Area	17
3.3 PCQ – Method Example	19
3.4 Flow Diagram of Satellite Data Analysis	20
4.1 Classification and Land-Use Cover	33
4.2 Mangrove Classes (High, Medium Dense and Less Dense)	40
4.3 Comparison of (Mean) Basal Area among three Mangrove Classes	43
4.4 Comparison of (Mean) Density among three Mangrove Classes	43
4.5 Basal Area VS NDVI	45
4.6 Density VS NDVI	45

LIST OF ABBREVIATIONS

ABBREVIATION	DESCRIPTION
ANOVA	Analysis of Variance
ASEAN	Association of Southeast Asian Nations
DN	Digital Number
FCC	False Color Composite
GIS	Geographical Information Systems
GPS	Global Positioning System
Ha	Hectares
Km	Kilometers
LUT	Look Up Table
MMS	Multi-Spectral Scanner System
NDVI	Normalised Different Vegetation Index
NIR	Near Infra Red
PCQM	Point Centred Quarter Method
RGB	Red, Green and Blue
RMS	Root Mean Square
RSO	Rectified Skew Orthomorphic
SA	Selective Availability
SPOT	<i>Systeme Probatoire d'Observation de la Terra</i>
TM	Thematic Mapper

LIST OF APPENDICES

Appendix		Page
1	Landsat image (2000) with resolution 30 m	56
2	Classification Accuracy Report (2000 image)	57
3	Kappa Statistic for the Accuracy Report (2000 image)	58
4	Wood Volume at each Station by Mangrove Species	59
5	Stem Density at each Station by Mangrove Species	59
6	Ground Survey/Inventory	60
7	Mangrove Area	60

ABSTRACT

Remote sensing is the modern technology to obtain useful information synoptically as it offers a complete coverage of the study area, complementing field surveys of higher information but which are difficult to carry out, especially in the case of mangroves. This project involves the implementation methodologies to analyze relationship between vegetation indices and dendrometric parameters in Kelantan Delta mangrove ecosystem. This study area consists of 17 islands, covering an area of approximately 1200 ha. The ground truth survey covered 21 sampling stations, of which 7 stations represented mangrove proper while others are rural settlement and terrestrial vegetation. For mangrove classification analysis, the satellite image (Landsat TM) acquired on year 2000 was used. This image was processed using ERDAS software with band combination 4, 5, 3. The land-use cover classification had 11 classes, and about 3 classes are exclusively for mangrove species such as *Rhizophora*, *Avicennia* and *Sonneratia-Nypa*. The overall accuracy for supervised map of the study area is 80.85% and *kappa* index of 2000 image achieved in this study was 0.7551. The area statistics for mangrove forest for Kelantan Delta mangrove is 3.541 km², meanwhile for vegetation indices (e.g. NDVI) which derived from the same satellite image had 3 mangrove classes i.e., *Less Dense*, *Medium Dense* and *Dense* mangrove. The potential relationship between vegetation indices dendrometric parameters obtained from ground survey (e.g. density-stems/0.1 ha and basal area – m²/0.1ha) was presented. The amount of vegetation seen by satellite sensor is coinciding with the amount of wood volume (basal area) estimated, and various statistical methods such as scatter-plots and analyses of variance (ANOVA) were applied to strengthen the findings.

ABSTRAK

Sistem Penderiaan Jarak Jauh merupakan satu teknologi yang moden bagi memperolehi informasi secara berguna dan memberikan liputan secara menyeluruh terhadap kawasan kajian dan pelengkap tinjauan kerja yang memerlukan informasi yang tinggi di mana ia sukar untuk dijalankan terutamanya di kawasan hutan paya bakau. Projek ini melibatkan implementasi metodologi Sistem Penderiaan Jarak Jauh dalam menganalisa hubungan di antara indeks tumbuh-tumbuhan dan parameter-parameter pokok di kawasan ekosistem hutan paya bakau di Delta Kelantan. Kawasan kajian meliputi 17 buah pulau dengan keseluruhan kawasan kira-kira 1200 hektar. Tinjauan kerja melibatkan 21 stesyen kajian, di mana daripada sejumlah 21 stesyen kajian hanya terdapat 7 sahaja kawasan yang mempunyai hutan paya bakau. Bagi klasifikasi analisis hutan paya bakau, imej satelit (Landsat TM) tahun 2000 telah digunakan. Imej ini telah diproses menggunakan perisian ERDAS melalui kombinasi 'band' 4, 5, 3. Sebanyak 11 kelas kawasan yang telah dikenal pasti, di mana 3 kelas daripadanya merupakan hutan paya bakau di Delta Kelantan. Antaranya ialah *Rhizophora*, *Avicennia* dan *Sonneratia-Nypa*. Ketepatan peta yang diperolehi ialah 80.85%. Manakala bagi index *kappa* pula ialah 0.7551. Keluasan bagi hutan paya bakau di Delta Kelantan pula ialah 3.541 km². Sementara itu, index tumbuh-tumbuhan yang diperolehi dari imej satelit menunjukkan terdapat 3 kelas hutan paya bakau iaitu hutan paya bakau kurang padat, separuh padat dan padat. Potensi hubungan di antara indeks tumbuh-tumbuhan dan parameter-parameter pokok diperolehi dari tinjauan kerja yang dilakukan seperti yang telah dibentangkan. Kandungan tumbuh-tumbuhan yang dilihat melalui imej satelit mempunyai perkaitan yg tinggi yang melibatkan kandungan isipadu kayu berbanding dengan kepadatan pokok dengan menggunakan pelbagai kaedah statistik seperti taburan plot dan juga analisis varians (ANOVA).