

EFFECTS OF PROGESTERONE ON OVARIAN MATURATION
IN THE PENAEID PRAWN, *Penaeus merguiensis* DE MAN

LIM SONG HOK

FACULTY OF FISHERIES AND MARINE SCIENCE
UNIVERSITI PERTANIAN MALAYSIA
1982 / 83

PERPUSTAKAAN

UNIVERSITI PERTANIAN MALAYSIA TERENGGANU

G/N 262
t/ 265

1000382861

ark

LP 5 EPSS 1 1983



1000382861

Effects of progesterone on ovarian maturation in the penaeid prawn, *Penaeus merguiensis* De Man / Lim Song Hok.



PERPUSTAKAAN
KOLEJ UNIVERSITI SAINS & TEKNOLOGI MALAYSIA
21030 KUALA TERENGGANU

1000382861

19 SEP. 1996

Lihat sebelah

HAK MILIK
PERPUSTAKAAN KUSTEM

LP
5
EPSS

PERPUSTAKAAN
UNIVERSITI PERTANIAN MALAYSIA TERENGGANU

EFFECTS OF PROGESTERONE ON OVARIAN MATURATION
IN THE PENAEID PRAWN, Penaeus merouensis (DE MAN)

by

Lim Song Hok

A Project Report submitted in partial fulfilment of the
requirement for the Bachelor of Science (Fisheries)

FACULTY OF FISHERIES AND MARINE SCIENCE
UNIVERSITI PERTANIAN MALAYSIA

August 1983

UNIVERSITI PERTANIAN MALAYSIA
FAKULTI PERIKANAN DAN SAINS SAMUDRA

BORANG PENGESAHAN

Dengan ini disahkan bahawa kami yang bertandatangan di bawah ini telah membaca dan berpuas hati menerima laporan projek penyelidikan yang bertajuk :

yang disediakan oleh :

sebagai sebahagian daripada keperluan untuk mendapatkan Ijazah Bachelor Sains (Perikanan).

Penyelia

Pengerusi,
Ahli Jawatankuasa Penyelidikan.

Tarikh: _____

ACKNOWLEDGEMENT

My heartfelt thanks to Dr. Chan H. H. for making it possible for me to conduct this study in Bagan Lalang, for lending me some of her references and above all, for her helpful suggestions and guidance throughout the study and giving generously of her time to the correction of this manuscript.

Thanks is also extended to Mr. Ong Boon Hur the manager of MAJUIKAN freshwater prawn hatchery, Bagan Lalang for his permission to use the premises and his invaluable guidance, advice and encouragement during this period of study.

I also wish to thank Mr. Shamsuddin bin Kassan for attending to the prawns while I am away at the university and Mr. Nawawi bin Hussin and Mr. Poh Yong Thong for their kind assistance in sampling the prawns. Thanks is also due to my wife for typing the manuscript.

ABSTRACT

Effects of progesterone on ovarian maturation in Penaeus merquensis were studied. Individual prawns were injected with 0 ug, 100 ug and 200 ug of progesterone. External viewing and gonadosomatic indices revealed no signs of ovarian maturation except for three individual prawns which showed morphological changes in their ovaries and one which showed a gonadosomatic index corresponding to stage 2 (early maturing) in the 200 ug progesterone treated group. However, histological studies showed that there were distinct changes in the type and size of oocytes upon progesterone treatment. Stage 3 (follicle stage) and stage 4 (primary yolk stage) oocytes in addition to stage 1 (nucleolus stage) and stage 2 (perinucleolus stage) were found in the 100 ug and 200 ug progesterone-treated prawns whereas only oogonia, stage 1 and stage 2 oocytes were found in the control. There was also an increase in the number of stage 4 oocytes at the peripheral region of the ovary of prawns in the 200 ug progesterone-treated group. The results indicate that progesterone stimulates oocytes maturation in P. merquensis.

ABSTRAK

Kesan hormon progesteron keatas kematangan obari Penaeus merquiensis telah dikaji. Udang-udang telah disuntik dengan 0 ug, 100 ug dan 200 ug hormon progesteron. Pandangan morfologi dan indek gonadosomatik menunjukkan tiada kesan pada kematangan obari kecuali di kumpulan 200 ug hormon progesteron dimana tiga udang menunjukkan perubahan morfologi pada obarinya dan seekor pada gonadosomatik indeknya. Kajian histologi menunjukkan perubahan nyata pada jenis dan saiz oosit yang dirawat dengan hormon progesteron. Pada kumpulan 100 ug dan 200 ug rawatan hormon progesteron, kedapatan oosit peringkat 3 dan 4 sebagai tambahan pada peringkat 1 dan 2. Pada percubaan kawalan (0 ug progesteron) terdapat oogonia dan oosit peringkat 1 dan 2. Terdapat pertambahan oosit peringkat 4 di bahagian tepi obari pada kumpulan 200 ug progesteron. Keputusan menunjukkan hormon progesteron merangsang kematangan oosit pada P. merquiensis.