# A STUDY ON EROSION AND THE ASSOCIATED GRAIN-SIZE DISTRIBUTION AT KEMASIK AND KUALA ABANG BEACH, TERENGGANU

MUHAMMAD HAZIQ BIN ZAINOL

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE UNIVERSITI MALAYSIA TERENGGANU 2012



LP 22 FMSM 3 2012



1100088893

A study on erosion and the associated grain-size distribution at Kemasik and Kuala Abang beach, Terengganu / Muhammad Haziq Zainol.

PERPUSTAKAAN SULTANAH NUR ZAHIRAH URTU-BISTI MALAYSTA TEREMIGGANU (URT)

	EIT MALATSIA TERENGGA HOSO KUALA TERENGGA 1000888	02
37	1100000	00
	<u> </u>	
1.		
	anable mpp	
		٠,٠
*		
· v		
		<u> </u>
	d.	
•		

HAK MILIK PERPUSTAKAAN SULTANAH NUR ZAHIRAH UMI

# A STUDY ON EROSION AND THE ASSOCIATED GRAIN-SIZE DISTRIBUTION AT KEMASIK AND KUALA ABANG BEACH, TERENGGANU


MUHAMMAD HAZIQ BIN ZAINOL

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE
UNIVERSITI MALAYSIA TERENGGANU

This project should be cited as:

Haziq, Z. 2012. A study on erosion and the associated grain size distribution at Kemasik and Kuala Abang, Terengganu. Undergraduate thesis, Bachelor of Science In Marine Science, Faculty of Maritime Studies and Marine Science, Universiti Malaysia Terengganu, Terengganu. 85p.

No part of this project report may be reproduced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied in public or private use, without written permission from the author and the supervisor(s) of the project.





### DEPARTMENT OF MARINE SCIENCE FACULTY OF MARITIME STUDIES AND MARINE SCIENCE UNIVERSITI MALAYSIA TERENGGANU

#### **DECLARATION AND VERIFICATION FORM**

#### FINAL YEAR RESEARCH PROJECT

It is hereby declared and verified that this research report entitled:

A STUDY ON EROSION AND THE ASSOCIATED GRAIN-SIZE DISTRIBUTION AT KEMASIK AND KUALA ABANG BEACH, TERENGGANU by Muhammad Haziq bin Zainol, Matric No. UK20276 has been examined and all errors identified have been corrected. This report is submitted to the Department of Marine Science as partial fulfillment towards obtaining the Degree of Bachelor of Science (Marine Science), Faculty of Maritime Studies and Marine Science, Universiti Malaysia Terengganu.

Verified by:

**Principal Supervisor** 

Name: Prof. Madya Dr Rosnan Yaacob

Official stamp FOF MADYA DR. ROSNAN BIN YAACOB

Ketua Jabatan Sains Marin Fakulti Pengajian Maritim dan Sains Marin Universiti Malaysia Terengganu 21030 Kuala Terengganu Date: 17-6-201

Head of Department of Marine Science

Name: Prof. Madya Dr. Rosnan Yaacob

Official Man MADYA DR. ROSNAN BIN YAACOB

Ketua Jabatan Sains Marin Fakulti Pengajian Maritim dan Sains Marin Universiti Malaysia Terengganu 21030 Kuala Terengganu Date:

17-6-2012

## **ACKNOWLEDGEMENT**

Alhamdulillah. All praise and thanks to Allah for giving me guidance and strength to finish this report in time.

First of all, I would like to give my special thanks to Dr Rosnan Yaacob and his assistance, En Effi for guiding and supervising me until this final year project completed. His guidance, concern, advices and patience have motivated me to complete this report and achieve objectives of the final year project.

My gratitude also goes to my parent, Zainol bin Khalid, Rohana bte Yusof and rest of my beloved family who always beside to give me support and motivation along writing this project thesis.

To all my course mates and house mates, I would to appreciate their kindness and tolerance while finishing this project.

Lastly, to individuals who involve either direct or indirect in completing this project, thank you very much.

# TABLE OF CONTENTS

	PAGE	
ACKNOWLEDGEMENT		i
TABLE OF CONTENTS		ii
LIST OF FIGURES		vii
LIST OF TABLES		ix
LIST OF ABBREVIATION/SYMBOLS		x
LIST OF APPENDICES		хi
ABSTRACT		xii
ABSTRAK		xii
1.0 INTRODUCTION		1
1.1 Objectives		3
2.0 LITERATURE REVIEW		4
2.1 Beach		4
2.1.1 Types of Beach		4
2.1.2 Beach Profile		4
2.1.3 Beach Erosion		6

2.2 Sedimentology	7
2.2.1 Sediment	7
2.2.2 Sediment Source	7
2.2.3 Types of Sediment	9
2.2.4 Grain Size Distribution	10
2.3 Net Shore Drift	11
2.4 Monsoon	12
2.5 Physical Process on Coastal	13
2.5.1 Waves	13
<b>2.5.2</b> Winds	14
2.5.3 Currents	15
<b>2.5.4</b> Tides	16
3.0 METHODOLOGY	17
3.1 Study Site	17
3.1.1 Kuala Abang Beach	17
3.1.2 Kemasik Beach	18
3.2 Procedure	20

3.2.1 Beach Profile	20
3.2.2 Sediment Size	21
3.2.3 Statistical Method	22
4.0 RESULTS	25
4.1 Beach Profile	25
4.1.1 Beach Profile of Kuala Abang	
25	
4.1.2 Beach Profile of Kemasik	29
4.2 Grain Size Analysis	34
4.2.1 Mean	34
4.2.2 Sorting	40
4.2.3 Skewness	45
4.2.4 Kurtosis	50
4.3 Physical Parameters	55
4.3.1 Rain Distribution	55
4.3.2 Wind Speed	57
4.4 Beach Width	58
4.4.1 Beach Width of Kuala Abang	58
4.4.1 Reach Width of Kemasik	50

4.5 Beach Slope	60
4.5.1 Beach Slope of Kuala Abang	60
4.5.2 Beach Slope of Kemasik	61
4.6 Grain Size Distribution	62
4.6.1 Kuala Abang	63
4.6.2 Kemasik	67
5.0 DISCUSSION	71
5.1 Beach Profile	71
5.2 Grain Size Analysis	73
5.2.1 Mean	73
5.2.2 Sorting	74
5.2.3 Skewness	75
5.2.4 Kurtosis	76
5.3 Beach Width	77
5.4 Beach Slope	77
5.5 Grain Size Distribution	78
5.5.1 Mean	78
<b>5.5.2</b> Sorting	78
6.0 CONCLUSION	79

7.0 REFERENCES	80
8.0 APPENDICES	83
9.0 CURICULUM VITAE	85

## **LIST OF FIGURES**

	PAGE	
Figure 3.1.1: Kuala Abang Study Area		18
Figure 3.1.1: Kemasik Study Area		19
Figure 4.1.1.1: Differences between first and second sampling at Stati	ion 1	26
Figure 4.1.1.2: Differences between first and second sampling at Stati	ion 2	26
Figure 4.1.1.3: Differences between first and second sampling at Stati	ion 3	27
Figure 4.1.1.4: Differences between first and second sampling at Stati	ion 4	27
Figure 4.1.1.5: Differences between first and second sampling at Stati	ion 5	28
Figure 4.1.1.6: Differences between first and second sampling at Stati	ion 6	28
Figure 4.1.2.1: Differences between first and second sampling at Stati	ion 1	31
Figure 4.1.2.2: Differences between first and second sampling at Stat	ion 2	31
Figure 4.1.2.3: Differences between first and second sampling at Stat	ion 3	32
Figure 4.1.2.4: Differences between first and second sampling at Stat	ion 4	32
Figure 4.1.2.5: Differences between first and second sampling at Stat	ion 5	33
Figure 4.1.2.6: Differences between first and second sampling at Stat	ion 6	33
Figure 4.2.1.1: Mean data for May 2011 of Kuala Abang		36
Figure 4.2.1.2: Mean data for January 2012 for Kuala Abang		37
Figure 4.2.1.3: Mean data for May 2011 for Kemasik		38
Figure 4.2.1.4: Mean data for January 2012 for Kemasik		39
Figure 4.2.2.1: Sorting data for May 2011 of Kuala Abang		41
Figure 4.2.2.2: Sorting data for January 2012 of Kuala Abang		42
Figure 4.2.2.3: Sorting data for May 2011 of Kemasik		43
Figure 4.2.2.4: Sorting data for January 2012 of Kemasik		44
Figure 4.2.3.1: Skewness data for May 2011 of Kuala Abang		46
Figure 4.2.3.2: Skewness data for January 2012 of Kuala Abang		47
Figure 4.2.2. Skowness data for May 2011 of Komesik		15

Figure 4.2.3.4: Skewness data for January 2012 of Kemasik	49
Figure 4.2.4.1: Kurtosis data for May 2011 of Kuala Abang	51
Figure 4.2.4.2: Kurtosis data for May 2011 of Kuala Abang	52
Figure 4.2.4.3: Kurtosis data for May 2011 of Kemasik	53
Figure 4.2.4.4: Kurtosis data for January 2012 of Kemasik	54
Figure 4.3.1.2: Rainfall Distribution of Kuala Terengganu	56
Figure 4.6.1.1: Percentage of Mean Values in the Mid Tide of the Kuala Abang Beach	63
Figure 4.6.1.2: Percentage of Sorting Values in the Mid Tide of the Kuala Abang Beach	64
Figure 4.6.1.3: Percentage of Skewness Values in the Mid Tide of the Kuala Abang Beach	65
Figure 4.6.1.4: Percentage of Kurtosis Values in the Mid Tide	
of the Kuala Abang Beach	66
Figure 4.6.2.1: Percentage of Mean Values in the Mid Tide of the Kemasik Beach	67
Figure 4.6.2.2: Percentage of Sorting Values in the Mid Tide of the Kemasik Beach	68
Figure 4.6.2.3: Percentage of Skewness Values in the Mid Tide of the Kemasik Beach	69
Figure 4.6.2.4: Percentage of Kurtosis Values in the Mid Tide of the Kemasik Beach	70

## LIST OF TABLES

	PAGE
Table 4.2.1.1: Mean data for May 2011 of Kuala Abang	36
Table 4.2.1.2: Mean data for January 2012 for Kuala Abang	37
Table 4.2.1.3: Mean data for May 2011 for Kemasik	38
Table 4.2.1.4: Mean data for January 2012 for Kemasik	39
Table 4.2.2.1: Sorting data for May 2011 of Kuala Abang	41
Table 4.2.2.2: Sorting data for January 2012 of Kuala Abang	42
Table 4.2.2.3: Sorting data for May 2011 of Kemasik	43
Table 4.2.2.4: Sorting data for January 2012 of Kemasik	44
Table 4.2.3.1: Skewness data for May 2011 of Kuala Abang	46
Table 4.2.3.2: Skewness data for January 2012 of Kuala Abang	47
Table 4.2.3.3: Skewness data for May 2011 of Kemasik	48
Table 4.2.3.4: Skewness data for January 2012 of Kemasik	49
Table 4.2.4.1: Kurtosis data for May 2011 of Kuala Abang	51
Table 4.2.4.2: Kurtosis data for May 2011 of Kuala Abang	52
Table 4.2.4.3: Kurtosis data for May 2011 of Kemasik	53
Table 4.2.4.4: Kurtosis data for January 2012 of Kemasik	54
Table 4.3.1.1: Summary of Rainfall in Kuala Terengganu for 2011 and	1 2012 55
Table 4.3.1.2: Summary of Wind in Kuala Terengganu for 2011 and 20	012 57
Table 4.4.1.1: Order of the Kuala Abang Beach Width	58
Table 4.4.1.1: Order of the Kemasik Beach Width	59
Table 4.5.1.1: Order of Beach Slope Degree in Kuala Abang	60
Table 4.5.1.1: Order of Beach Slope Degree in Kemasik	61

# LIST OF ABBREVIATIONS/SYMBOLS

SYMBOLS
km (kilometer)
° (Degree)
m (meter)
cm (centimeter)
mm (millimeter)
g (gram)
% (percentage)
Φ (Phi)
N (north)
E (east)

# LIST OF APPENDICES

	PAGE
Appendix A	83

### **ABSTRACT**

A study on erosion on beach morphology and sediment characteristics has been done along the Kuala Abang and Kemasik beach. Each beach was divided into 6 stations with interval for Kuala Abang is 300m and Kemasik is 500 meter from a station to another station. Sampling at each study site conducted in twice which was in May 2011 and January 2012. Sampling of beach profile data was carried out from first vegetation at berm area until low tide area. Sediment analysis was done by collecting about more than 100g of sediment at high, mid and low tide. The beach morphology for both study area change dynamically with time. In this study, each of the study sites shows different result such as mean and beach slope. This shows that which beach has more undergo process erosion and deposition.

### **ABSTRAK**

Kajian hakisan pantai terhadap profil pantai dan taburan saiz sedimen telah dijalankan di pantai Kuala Abang dan Kemasik. Setiap pantai kajian dibahagikan kepada 6 station. Jarak antara setiap stesen di Kuala Abang seluas 300m dan di Kemasik seluas 500m. Penyampelan di setiap kawasan kajian dijalankan sebanyak 2 kali iaitu pada Mei 2011 dan Januari 2012. Penyampelan terhadap profil pantai dijalankan bermula pada tumbuhan pertama yang tumbuh di gumuk (berm) pantai sehingga kawasan rendah pasang surut. Analisis sedimen telah dilakukan dengan mengambil sampel sedimen seberat lebih 100g di kawasan tinggi, tengah dan rendah pasang surut. Bentuk pantai telah berubah mengikut masa. Dalam kajian ini, keputusan telah menunjukkan yang setiap kawasan pantai kajian mempunyai keputusan yang berlainan seperti min dan kecerunan pantai. Ini dapat menunjukkan pantai mana didominasi dengan proses hakisan atau proses mendapan.