COMPARISON OF ZOOPLANKTON ABUNDANCE AND SIZE COMPOSITION AT REEF AND OPEN WATER HABITATS OF BIDONG ISLAND, TERANGGANU

RAJASEGAR MARUTHAMUTHU NADARAJAH

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE UNIVERSITI MALAYSIA TERENGGANU 2013

LP 36 FMSM 2 2013



110009135

Comparison of zooplankton abundance and size composition at reef and open water habitats of Bidong Island, Terengganu / Rajasegar Maruthamuthu Nadarajah.



PUSAT PEMBELAJARAN DIGITAL SULTANAH NUR ZAHIRAH UNIVERSITI MALAYSIA TERENGGANU (UMT) 21030 KUALA TERENGGANU

1	1000913	11
24		
12/01	8:	
i i		

Lihat Sebelah

COMPARISON OF ZOOPLANKTON ABUNDANCE AND SIZE COMPOSITION AT REEF AND OPEN WATER HABITATS OF BIDONG ISLAND, TERENGGANU

By

Rajasegar A/L Maruthamuthu Nadarajah

Research report submitted in partial fulfillment of
the requirement for the degree of
Bachelor of Science (Marine Biology)

FACULTY OF MARITIME STUDIES AND MARINE SCIENCE
UNIVERSITY MALAYSIA OF TERENGGANU

This project report should be cited as:

Nadarajah, M. R. (2012). Comparison of Zooplankton Abundance and Size Composition at Reef and Open Water Habitats of Bidong Island, Terengganu. Undergraduate Thesis, Bachelor of Science (Marine Biology), Faculty of Maritime Studies and Marine Science, University Malaysia Terengganu, Terengganu, 88p.

No part of this project may be reproduced by any mechanical, photographic, or electronic process, or in the form of photographic, recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from the author and the supervisor(s) of the project.



DEPARTMENT OF MARINE SCIENCE FACULTY OF MARITIME STUDIES AND MARINE SCIENCE UNIVERSITI MALAYSIA TERENGGANU

DECLARATION AND VERIFICATION REPORT FINAL YEAR RESEARCH PROJECT

It is hereby declared and verified that this research report entitled:

COMPARISON OF ZOOPLAKTON ABUNDANCE AND SIZE COMPOSITION AT REEF AND OPEN WATER HABITATS OF BIDONG ISLAND, TERENGGANU by Rajasegar A/L Maruthamuthu Nadarajah, Matric No. UK 22425, have been examined and all errors identified have been corrected. This report is submitted to the Department of Marine Science as partial fulfillment towards obtaining the Degree of Bachelor of Science (Marine Biology) Faculty of Maritime Studies and Marine Science, University Malaysia Terengganu.

Verified by:

Principal Supervisor

Name:

Official stamp:

ROSWATI MD AMIN (Ph.D)
PENSYARAH JABATAN SAINS MARIN
FAKULTI PENGAJIAN MARITIM & SAINS MARIN
UNIVERSITI MALAYSIA TERENGGANU

Date: 13/6/2013

ACKNOWLEDGEMENT

The course MMB 4998 and MMB 4999 was a very challenging course I ever had throughout my journey in Marine Biology. It required better time management skill, patience, hard work and cooperation and sharing of knowledge from many people. Fortunately I have carried out my research work and completed it successfully.

So, I would to take this opportunity to thank the Almighty God for giving me the maximum strength to analyse all my samples under a microscope which was very time consuming. Without his support, maybe I would have not completed this research project well.

Next, my heart full thanks go to my primary Supervisor, Dr. Roswati Md.Amin from UMT and my second Supervisor, Dr. Teruaki Yoshida from UKM. Thank you, Dr. Ros for your continuous supervision on our project and technical support in thesis writing. Thank you, Dr. Yoshida for your major role in helping us to identify zooplankton.

A token of appreciation also goes to the Laboratory Assistants of Makmal Biodiversity, Pn. Kartini Mohamad, En. Che Mat Zan and En. Abdul Manaf for their technical support before and after sampling and also during the analysis of samples. I would also thank Mr. Yuzwan Mohamad. Laboratory Assistant of Makmal GIS who helped in producing map of sampling station.

I would also like to use this opportunity to thank my friends, Fithrie Ozair and Muhamad Faisal Abdul Rahman for helping me in the identification of zooplankton especially copepod species. My sincere thanks also goes to all my dear friends in

UMT who has played a role directly or indirectly in finishing my project work successfully.

Last but not least, my warmest thanks goes to my family members. They had helped me to complete this research work successfully. I strongly believe that their prayers and wishes for me to complete my research project successfully is one of the main causes for me to successfully finish this research work to the end.

Thank you, everyone!

TABLE OF CONTENT

CHAPTER	PAGE
ACKNOWLEDGEMENT	ii
LIST OF TABLES	vi
LIST OF FIGURES	vii
LIST OF APPENDICES	viii
ABSTRACT	ix
ABSTRAK	x
INTRODUCTION	1
 1.1 Plankton 1.2 Importance of zooplankton 1.3 Seasonal variation in zooplankton abundance 1.4 Zooplankton size classification 1.5 Coral reef habitat 1.6 Open ocean habitat 1.7 Zooplankton research in Malaysia 1.8 Problems related with zooplankton studies 1.9 Day and night variation in zooplankton abundance 1.10 Status of zooplankton studies in tropical region and Malaysia 1.11 Justification of the study 1.12 Objectives of the study 	1 2 4 6 8 9 11 11 13 14 15
LITERATURE REVIEW	16
 2.1 Coral reef in Bidong Island 2.2 Zooplankton abundance and distribution 2.3 Spatial patterns of zooplankton 2.4 Effect of net size on zooplankton abundance 2.5 Factors affecting zooplankton distribution and abundance 2.6 Size related response of zooplankton 2.7 Importance of zooplankton abundance determination 	16 16 19 20 21 22 22

METHODOLOGY	24
3.1 Sampling Site	24
3.2 Sampling Procedures	25
3.2.1 Vertical and Horizontal Sampling	26
3.3 Laboratory analysis	27
3.4 Calculation	28
3.4.1 Calculation of total seawater filtered (with flow meter)	28
3.4.2 Calculation of Zooplankton Abundance	29
3.4.3 Calculation of Species Diversity Index	29
3.4.4 Calculation of Equitability or Evenness Index	30
3.5 Statistical Analysis	30
RESULTS	31
4.1 Physical condition	31
4.2 Composition of zooplankton	32
4.3 Abundance of zooplankton	40
4.4 Zooplankton community structure	48
4.5 Species diversity and Evenness	54
4.6 The 100μm and 250μm size fractions	55
4.7 Comparison of zooplankton abundance according to station, tow method and size fraction	56
DISCUSSION	58
5.1 Zooplankton abundance between reef and open water habitat	58
5.2 Community Structure of zooplankton	61
CONCLUSIONS	66
RECOMMENDATIONS	68
REFERENCES	69
APPENDICES	80
VITAE	88

LIST OF TABLES

Table 1.	The latest version of zooplankton size classification (Sieburth et al.,
	1978)
Table 3.1.	Coordinates of sampling station
Table 4.1.	Depth of sampling station and volume of total seawater filtered
Table 4.1.2.	Flow meter readings
Table 4.1.3.	Flow meter readings and total volume of seawater filtered
Table 4.2.1.	Zooplankton composition according to stations 100um vertical tow
Table 4.2.2.	Zooplankton composition according to stations 250um vertical tow
Table 4.2.3.	Zooplankton composition according to stations 100um horizontal tow
Table 4.2.4.	Zooplankton composition according to stations 250um horizontal tow
Table 4.5.1.	Table of species diversity index and evenness

LIST OF FIGURES

D' 1 1	D 1 C	1 1		C 1	1
Figure 1.1.	Role of	zooplankton	in marine	tood	weh
1 15010 1.1.	I COIC OI	Loopiumiton	III IIIIIII	1004	***

- Figure 4.3.1. Vertical abundance of zooplankton at 100µm mesh size
- Figure 4.3.2. Vertical abundance of zooplankton at 250µm mesh size
- Figure 4.3.3. Horizontal abundance of zooplankton at 100µm mesh size
- Figure 4.3.4. Horizontal abundance of zooplankton at 250µm mesh size
- Figure 4.4.1.1 The vertical abundance (%) of zooplankton at 100 and 250µm size fraction
- Figure 4.4.1.2. The zooplankton cluster for vertical abundance at 100µm net
- Figure 4.4.1.3. The zooplankton cluster for vertical abundance at 250µm net
- Figure 4.4.2.1 The horizontal abundance (%) of zooplankton at 100 and 250μm size fraction
- Figure 4.4.2.2. The zooplankton cluster for horizontal abundance at 100µm net
- Figure 4.4.2.3. The zooplankton cluster for horizontal abundance at 250µm net
- Figure 4.7. The vertical and horizontal abundance of zooplankton in 100µm and 250µm size fraction at coastal, mid water and open water stations.

LIST OF APPENDICES

Appendix 1.	Flow meter readings
Appendix 2.	Flow meter readings and total volume of seawater filtered
Appendix 3.	One way anova test for zooplankton abundance using different
	towing methods and size fraction
Appendix 4.	Mann-Whitney Test (t-test)

ABSTRACT

A study to compare the abundance of zooplankton between the reef habitat and open water habitat using horizontal and vertical towing and 100µm and 250µm size fraction was carried out. The samples were collected from reef habitat, mid water and lastly at the open water of Bidong Island, Terengganu. Generally, the vertical abundance of zooplankton increased from reef habitat (coastal) towards the open water habitat. On the other hand, the horizontal abundance decreases from reef habitat to open water. The vertical abundance of zooplankton was higher than the horizontal abundance. 100µm size fractions give rise to the zooplankton abundance in vertical abundance. No much variation was found in horizontal abundance in the both size fractions. Copepods were the major zooplankton group in all stations.

Kajian Tentang Perbezaan Kepadatan Zooplankton Dan Struktur Komuniti Zooplankton Di Habitat Batu Karang Dan Habitat Laut Terbuka

ABSTRAK

Kajian ini mengambarkan perbezaan kepadatan zooplankton di kawasan batu karang dan laut terbuka. Zooplankton telah ditapis dari 3 kawasan, iaitu kawasan batu karang, kawasan pertengahan laut dan akhirnya di kawasan laut terbuka dengan menggunakan jarring yang bersaiz 100μm dan 250μm dengan cara penapisan secara mendatar dan menegak. Secara keseluruhanya komposisi zooplankton banyak diwakili oleh kopepod dan zooplankton lain mempunyai kepadatan yang kurang berbanding dengan kopepod di kesemua stesen. Kepadatan zooplankton secara menegak banyak di kawasan laut terbuka dan sedikit di kawasan batu karang. Kepadatan zooplankton secara mendatar pula banyak di kawasan batu karang berbanding laut terbuka. Dalam zooplankton yang ditapis secara menegak, kebanyakkanya adalah bersaiz 100μm. Zooplankton yang ditapis mendatar pula tidak menunjukkan perbezaan yang begitu ketara seperti yang ditunjukkan dalam saiz 100μm.