

PRELIMINARY STUDY OF STONEFRUIT FOREST SUCCESSION AT
PULAU ONE HANID AND PULAU BESEP, SETIA LAGOON

SITI MARIAM JANTI & MUHAMMAD NOR

FACULTY SAINS DAN TEKNOLOGI
KOLEJ UNIVERSITI SAINS DAN TEKNOLOGI MALAYSIA
2005

21/215

1100036876

LP 35 FST 4 2005



1100036876

Preliminary study of mangrove forest succession at Pulau Che Hamid and Pulau Besar, Setiu lagoon / Siti Mariam Muhammad Nor.



PERPUSTAKAAN

KOLEJ UNIVERSITI SAINS & TEKNOLOGI MALAYSIA
21030 KUALA TERENGGANU

1100036876

Lihat sebelah

HAK MILIK
PERPUSTAKAAN KUSTEM

**PRELIMINARY STUDY OF MANGROVE FOREST SUCCESSION AT PULAU CHE
HAMID AND PULAU BESAR, SETIU LAGOON**

By

Siti Mariam Binti Muhammad Nor

Research Report submitted in partial fulfillment of
the requirements for the degree of
Bachelor of Applied Science (Biodiversity Conservation and Management)

Department of Biological Sciences
Faculty of Science and Technology
KOLEJ UNIVERSITI SAINS DAN TEKNOLOGI MALAYSIA
2005

This project should be cited as:

Siti-Mariam, M.N. 2005. Preliminary study of mangrove forest succession at Pulau Che Hamid and Pulau Besar, Setiu Lagoon. Undergraduate thesis, Bachelor of Applied Science in Biodiversity Conservation and Management, Faculty of Science and Technology, Kolej Universiti Sains dan Teknologi Malaysia, Terengganu. 119p.

No part of this project report may be produced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied for public or private use, without written permission from author and the supervisor(s) of the project.



JABATAN SAINS BIOLOGI
FAKULTI SAINS DAN TEKNOLOGI
KOLEJ UNIVERSITI SAINS DAN TEKNOLOGI MALAYSIA

PENGAKUAN DAN PENGESAHAN LAPORAN
PROJEK PENYELIDIKAN I DAN II

Adalah ini diakui dan disahkan bahawa laporan penyelidikan bertajuk: **PRELIMINARY STUDY OF MANGROVE FOREST SUCCESSION AT PULAU CHE HAMID AND PULAU BESAR, SETIU LAGOON** oleh **SITI MARIAM MUHAMMAD NOR**, no. Matrik: UK 6964 telah diperiksa dan semua pembetulan yang disarankan telah dilakukan. Laporan ini dikemukakan kepada Jabatan Sains Biologi sebagai memenuhi sebahagian daripada keperluan memperolehi ijazah **SAINS GUNAAN (PEMULIHARAAN DAN PENGURUSAN BIODIVERSITI)**, Fakulti Sains dan Teknologi, Kolej Universiti Sains dan Teknologi Malaysia.

Disahkan oleh:

Penyelia Utama

Nama: **PROF. MADYA SULONG BIN IBRAHIM**
Fellow
Cop Rasmii: Institut Oseanografi
Kolej Universiti Sains dan Teknologi Malaysia
Mengabang Telipot
21030 Kuala Terengganu.

Tarikh: **26/4/2005**

↳ Penyelia Kedua (jika ada)

Nama:
Cop Rasmii

Tarikh: **26/4/2005**

Ketua Jabatan Sains Biologi

Nama: **I PROF. MADYA DR. NAKISAH BT. MAT AMIN**
Cop Rasmii: **Jabatan Sains Biologi**
Fakulti Sains dan Teknologi
Kolej Universiti Sains dan Teknologi Malaysia
(KUSTEM)
21030 Kuala Terengganu.

Tarikh: **25/4/2005**

ACKNOWLEDGEMENT

In the name of Allah, the Most Merciful and Most Compassionate

Praise to Allah Almighty for his blessing enables me to finish this thesis. First and foremost, I am grateful to my Supervisor Prof. Sulong Ibrahim for his invaluable guidance throughout this study. Sincere thanks also to my co-supervisor Mr. Kasawani Ibrahim for the advice and useful comment during writing this thesis.

I would like to express my sincere thanks to Mr. Abdull Habir Alias, Mr Razali Salam and Mr Yunus Ibrahim for cooperation and providing the additional information about mangroves especially during the sampling was carried out. Without their assist and guidance, this study might not run smoothly.

Special appreciation to my family for their moral support to fulfill this thesis especially to my beloved parents, Mr Muhammad Nor Salleh and Madam Suwaibah Abd Rahman, brothers and my sisters. Deepest appreciation also to my friends especially mangrove team for their cooperation and have assisted me during the sampling has been conducted. Special thanks also to my housemates, K.Anis, K.Irni, K .Aty, Aziah, Ila and Tini and coursemate (biodiversity) for their cooperation.

TABLES OF CONTENTS

	PAGES	
APPROVAL FORM		
ACKNOWLEDGEMENT	ii	
LIST OF TABLES	vii	
LIST OF FIGURES	viii	
LIST OF ABBREVIATIONS AND SYMBOLS	x	
LIST OF APPENDICES	xi	
ABSTRACT	xiii	
ABSTRAK	xiv	
CHAPTER 1	INTRODUCTION AND OBJECTIVE	1
1.2	Justification	4
1.3	Objectives	5
CHAPTER 2	LITERATURE REVIEW	6
2.1	Mangrove Vegetation	6
2.1.1	Species Composition	8
2.2	Zonation	8
2.2.1	Factors That Determined Zonation	10
2.3	Succession	12

2.3.1	Plant Succession	12
2.3.2	Seed Dispersal	13
2.3.4	Mangrove Pioneer Species	14
2.4	Environmental Factor	17
2.4.1	Mangrove Forest Substrate	18
2.4.2	Sediment	19
2.4.3	Tides	20
2.4.5	Salinity	20
CHAPTER 3	METHODOLOGY	22
3.1	Description of Study Area	22
3.2	Location of Study Area	24
3.2.1	Pulau Che Hamid	24
3.2.2	Pulau Besar	26
3.3	Method of Sampling	26
3.3.1	Vegetation	28
3.3.2	Plot Sampling	28
3.3.3	Data Collection	33
3.3.4	Environmental factor	33
CHAPTER 4	RESULT	34
4.1	Mangrove Vegetation	34
4.1.1	Pulau Che Hamid	34
4.1.2	Pulau Besar	35

4.2	Mangrove species composition	37
4.3	Mangrove species existence by Each Quadrat	39
4.4	Environmental factors	45
4.5	Environmental factors of Pulau Che Hamid	47
4.6	Environmental factors of Pulau Besar	49
CHAPTER 5	DISCUSSION	51
5.1	General View of Each Location	51
5.1.1	Pulau Che Hamid	51
5.1.2	Pulau Besar	52
5.2	Mangrove Vegetation	53
5.2.1	Pulau Che Hamid	53
5.2.2	Pulau Besar	55
5.3	Mangrove Species Composition	57
5.3.1	Pulau Che Hamid	57
5.3.2	Pulau Besar	58
5.4	Mangrove Zones	58
5.4.1	Pulau Che Hamid	58
5.4.2	Pulau Besar	61
5.5	Succession	63
5.6	Environmental factors	64
5.6.1	Tides	64
5.6.2	Salinity	65
5.6.3	Mangrove's soil	66

5.6.4	Climate	67
5.6.5	pH	67
5.6.6	Dissolved oxygen	68
5.6.7	Mangrove's fauna	68
5.7	Description by Plots	69
5.8	Monsoon Season	81
CHAPTER 6	CONCLUSION	87
6.1	Conclusion	87
6.2	Recommendation	88
REFERENCES		89
APPENDICES		93
CURRICULUM VITAE		119

LIST OF TABLES

	PAGE
3.1 The Coordinate of each quadrates of Pulau Che Hamid	31
3.2 The Coordinate of each quadrates of Pulau Besar	32
4.1 Mangrove's vegetation of Pulau Che Hamid	36
4.2 Mangrove's vegetation of Pulau Besar	36
4. 3 Mangrove species existence by each plot of Pulau Che Hamid	42
4. 4 Mangrove species existence by each plot of Pulau Besar	44

LIST OF FIGURES

	PAGE
3.1 The location of Setiu Wetland	21
3.2 The location of study area of Pulau Che Hamid and Pulau Besar	25
3.3 Flow Chart of Methodology	27
3.4 Plot sampling of Pulau Che Hamid and Pulau Besar	29
3.5 The quadrates size which has been setup	30
4.1 Mangrove species composition of trees, saplings and seedlings of Pulau Che Hamid	38
4.2 Mangrove species composition of trees, saplings and seedlings of Pulau Besar	38
4.3 The establishment of mangroves species by each plot at Pulau Che Hamid	40
4.4 The establishment of mangroves species by each plot at Pulau Besar	40
4.5 Environmental factors of Pulau Che Hamid	47
4.5a Temperature range between May to Nov of Pulau Che Hamid	47
4.5b Salinity range between May to November of Pulau Che Hamid	47
4.5c pH range between May to November of Pulau Che Hamid	48
4.5d DO range between May to November of Pulau Che Hamid	48
4.6 Environmental Factors of Pulau Besar	49
4.6a Temperature range between May to November of Pulau Besar	49

4.6b	Salinity range between May to November of Pulau Besar	49
4.6c	pH range between May to November of Pulau Besar	50
4.6d	DO range between May to November of Pulau Besar	50
5.1	Mangrove vegetation at Pulau Che Hamid	54
5.2	Mangrove vegetation at Pulau Besar	56
5.3	Mangrove zones at Pulau Che Hamid	59
5.4	Mangrove zones at Pulau Besar	62

LIST OF ABBREVIATIONS

DBH Diameter breast height

Ppt Part perthousand

Q Quadrate

Ha Hectare

LIST OF APPENDICES

APPENDIX	PAGE
A.1 Mangrove Forest Zonation (Source: Bengen, 2001)	93
A.2 Distribution Mangrove Fauna (Source: Bengen, 2001)	93
A.3 Some Types of Mangrove Propagules and Seeds (Source: Bengen, 2001)	94
A.4 Study area of Pulau Che Hamid	94
A.5 Front Zone of Pulau Che Hamid	95
A.6 Middle Zone of Pulau Che Hamid	95
A.7 Back Zone of Pulau Che Hamid	96
A.8 Study area of Pulau Besar	96
A.9 Front Zone of Pulau Besar	97
A.10 Middle Zone of Pulau Besar	97
A.11 Back Zone of Pulau Besar	98
A.12 The Numerous of Aerial Root, Pneumatophores	98
A.13 Measuring the Depth of Pneumatophores	99
A.14 Knee Root of <i>Ceriops decandra</i>	99
A.15 Measuring the Size of <i>Rhizophora</i> 's propagule	100
A.16 Dispersal of Different Sizes of <i>Bruguiera gymnorhiza</i>	100
A.17 Small Seed of <i>Avicennia alba</i> attached at the Tree	101
A.18 Various Kind of Snails at Pulau Che Hamid	101

B.1	Mangrove species composition of trees, saplings and seedlings of Pulau Che Hamid	102
B. 2	Mangrove species composition of trees, saplings and seedlings at Pulau Besar	102
B.3	Trees composition of Pulau Che Hamid by each plot	103
B.4	Saplings composition of Pulau Che Hamid by each plot	103
B. 5	Seedlings composition of Pulau Che Hamid by each plot	103
B. 6	Tree composition of Pulau Besar by each plot	104
B.7	Saplings composition of Pulau Che Besar by each plot	105
B. 8	Seedlings composition of Pulau Besar by each plot	105
C.1	Calculation - Pulau Che Hamid	106
C.2	Calculation - Pulau Besar	110
C.3	Inventory Form of Vegetation	114
C.4	Environmental form	115
C.5	Tides Table of Kuala Terengganu 1	116
C.6	Tides Table of Kuala Terengganu 2	117
C.7	Tides Table of Kuala Terengganu 3	118

ABSTRACT

Research on mangrove forest succession is inadequately discussed nowadays. This study is a preliminary study of mangrove forest succession at Pulau Che Hamid and Pulau Besar, Setiu Lagoon. Sampling and observation has been conducted in order to illustrate the succession of mangrove forest at these islands. A comparison between Pulau Che Hamid and Pulau Besar in term of species composition has been determined. Pulau Che Hamid has been dominated mostly by seedlings which represented 78% (35 000 seedlings perha). Meanwhile the saplings covered 21% or 9600 saplings perha and trees only covered 1% similarly to 300 trees. The abundant of seedlings indicate that there is natural regeneration occupying the land with the seedlings is belonging to *Ceriops decandra*. Meanwhile at Pulau Besar, the seedlings and saplings also can be found numerously as they covered 68% (30 000 seedlings perha) and 30% (13200 saplings perha) from total extent respectively. However the trees represented 2% as equal to 900 trees perha at Pulau Besar. The seedlings and saplings mostly dominated by *Ceriops decandra* and *Bruguiera cylindrica*. The occurrence of seedlings and saplings indicate there also regeneration reoccurring with their mother tree. This preliminary study can be seen as zones on these islands consisting of front, middle and back zones which back zones is middle of the island. The pattern colonization constituent of mangrove pioneer species colonizing the front zone, while mixed mangrove dominated the middle zone and beach vegetation occupying at back zone at both islands.

KAJIAN AWAL HUTAN PAYA LAUT YANG TELAH MENGALAMI SESARAN DI PULAU CHE HAMID DAN PULAU BESAR, SETIU LAGOON

ABSTRAK

Kajian tentang Hutan Paya Bakau yang telah tersesar kurang dibincangkan secara meluas. Kajian ini adalah kajian awal tentang Hutan Paya Bakau yang telah mengalami sesaran dijalankan di Pulau Che Hamid dan Pulau Besar, Setiu Lagun. Persampelan dan pemerhatian telah dijalankan ke atas pulau tersebut untuk mengetahui keadaan tentang Hutan Paya Laut yang telah tersesar. Sejumlah 35 000 perha anak benih atau 78% tumbuh di Pulau Che Hamid. Anak pokok pula mewakili 21% atau 9600 anak pokok perha dan pokok pula hadir dalam 1% bersamaan 300 pokok perhektar. Kelimpahan anak benih pada Pulau Che Hamid menunjukkan pertumbuhan semulajadi sedang berlaku. Sementara itu, Pulau Besar pula kebanyakannya ditumbuhi oleh pokok terdiri daripada campuran Hutan paya Laut dan pantai. Anak benih juga didapati dalam bilangan banyak di Pulau Besar di mana mencatatkan 68%(30 000 perhektar) dan 30%(13 200 perhektar) daripada keseluruhan kawasan kajian dimana ia ditumbuhi oleh anak benih dan anak pokok *Ceriops decandra* dan *Bruguiera cylindrica*. Pokok pula hanya mewakili 2%(900 perhektar). Kelimpahan anak benih dan anak pokok menunjukkan kehadiran mereka berdekatan dengan induk pokok tersebut. Kajian awal ini boleh dilihat berpandukan penzonan atas pulau ini iaitu zon depan, tengah dan belakang dimana zon belakang ini terletak ditengah pulau. Corak pengkolonian dapat dilihat sebagai tumbuhan perintis menkoloni kawasan berdekatan dengan laut, manakala tumbuhan campuran hutan paya laut dan air tawar mendominasi di zon seterusnya dan tumbuhan pantai tumbuh di kawasan tengah pulau.