

TAXONOMY AND ULTRASTRUCTURE OF HARPACTICOIDA  
(FAMILY PORCELLIDIIDAE) FROM SEAWEED  
(*ULVA RETICULATA*) IN SUNGAI PULAI, JOHOR

HASIMAH BINTI MOHAMAD SAID

FAKULTI PENGAJIAN MARITIM DAN SAINS MARIN  
UNIVERSITI MALAYSIA TERENGGANU

2008

EN 6469

1100061834

Universiti Malaysia Terengganu

LP 13 FMSM 1 2008



11G0061834

## Taxonomy and ultrastructure of Harpacticoida (family porcellidiidae) from seaweed (*Ulva reticulata*) in Sungai Pulai, Johor / Hasimah Mohamad Said.

**PERPUSTAKAAN SULTANAH NUR ZAHRAH  
UNIVERSITI MALAYSIA TERENGGANU (UMT)  
21030 KUALA TERENGGANU**

1100061834

Lihat sambutan

HAK KILIK  
PERPUSTAKAAN SULTANAH NUR ZAHIRAH UNT

**TAXONOMY AND ULTRASTRUCTURE OF HARPACTICOIDA (FAMILY  
PORCELLIDIIDAE) FROM SEAWEED (*Ulva Reticulata*) IN SUNGAI PULAI,  
JOHOR.**

**By**

**Hasimah binti Mohamad Said**

**Research Report submitted in partial fulfillment of  
the requirements for the degree of  
Bachelor of Science (Marine Biology)**

**Department of Marine Science  
Faculty of Maritime Studies and Marine Science  
UNIVERSITI MALAYSIA TERENGGANU  
2008**

This project should be cited as:

Hasimah, M. S. 2008. Taxonomy and Ultrastructure of Harpacticoida (Family Porcellidiidae) from Seaweed (*Ulva reticulata*) in Sungai Pulai, Johor. Undergraduate thesis, Bachelor of Science (Marine Biology), Faculty of Maritime Studies and Marine Science, Universiti Malaysia Terengganu, Terengganu. 65p.

*No part of this project report may be reproduced by any mechanical, photographic, or electronic process, or in the form of phonographic recording, nor may it be stored in a retrieval system, transmitted, or otherwise copied from public or private use, without written permission from the author and the supervisor(s) of the project.*



JABATAN SAINS MARIN  
FAKULTI PENGAJIAN MARITIM DAN SAINS MARIN  
UNIVERSITI MALAYSIA TERENGGANU

PENGAKUAN DAN PENGESAHAN LAPORAN  
PROJEK PENYELIDIKAN I DAN II

Adalah ini diakui dan disahkan bahawa laporan penyelidikan bertajuk:

**Taxonomy and Ultrastructure of Harpacticoida (Family Porcellidiidae) from Seaweed (*Ulva reticulata*) in Sungai Pulai, Johor** oleh **Hasimah Binti Mohamad Said**  
No.Matrik **UK 12327** telah diperiksa dan semua pembetulan yang disarankan telah dilakukan. Laporan ini dikemukakan kepada Jabatan Sains Marin sebagai memenuhi sebahagian daripada keperluan memperolehi Ijazah Sarjana Muda Sains (Biologi Marin), Fakulti Pengajian Maritim dan Sains Marin, Universiti Malaysia Terengganu.

Disahkan oleh:

Penyelia Utama

Nama: Dr. Zaleha binti Kassim

Cop Rasmi:

DR. ZALEHA BT KASSIM  
KETUA PROGRAM  
MASTER SAINS (AKUAKULTUR), STRUKTUR C  
INSTITUT AKUAKULTUR TROPika  
UNIVERSITI MALAYSIA TERENGGANU (UMT)  
21030 KUALA TERENGGANU.

Tarikh: **04/05/08**

Ketua Jabatan Sains Marin

Nama: Dr. Razak bin Zakaria

DR. RAZAK ZAKARIA  
Ketua Jabatan Sains Marin  
Fakulti Pengajian Maritim dan Sains Marin  
Universiti Malaysia Terengganu  
(UMT)

Tarikh: **12/5/08**

## **ACKNOWLEDGEMENTS**

Alhamdulillah.....

First and foremost thanks to ALLAH s.w.t for blessing me and give me strength to accomplish this study. I would like to take this opportunity to give my sincere thanks to my beloved supervisor, Dr. Zaleha Kassim for proposing this project for me. Without her advice, continuous guidance, comment and unlimited support, I will not be able to finish this study successfully. She also introduced me to the new world of knowledge that needs high patience and concentration, truly new experience for me.

I would also like to express my thanks to Dr Siti Aishah bt Abdullah (Program coordinator for Marine Biology) for advice and guidance in these three years. Thanks also go to Dr Juanita Joseph (Course coordinator for MBM 4999) for her guidance and toleration all the way from the beginning. I would also like to thanks lab assistances, Pn. Kartini, En. Zan, En. Jalal, En. Maliki and En. Syed who always helped me with the laboratory work.

Special thanks to my parents and my siblings, who always understand me a lot and give their supports in my way. I love you all so much. My appreciation also goes to En Nasir and kak Ita (SEM lab) for their help during this study. Lastly, for all friends that always support me from the beginning to the end of my study. Thank you so much.

## TABLE OF CONTENTS

	<b>Page</b>
<b>ACKNOWLEDGEMENTS</b>	ii
<b>TABLE OF CONTENTS</b>	iii
<b>LIST OF TABLES</b>	vi
<b>LIST OF FIGURES</b>	vii
<b>LIST OF ABBREVIATIONS</b>	ix
<b>LIST OF APPENDICES</b>	x
<b>ABSTRACT</b>	xi
<b>ABSTRAK</b>	xii
<b>GLOSSARY</b>	xiii
<b>CHAPTER 1: INTRODUCTION</b>	1
1.1    Introduction	1
1.2    Importance of Study	3
1.3    Objectives	4
<b>CHAPTER 2: LITERATURE REVIEW</b>	5
2.1    Status of the study in the world	5
2.2    Status of the study in Malaysia	6
2.3    Previous study on Family Porcellidiidae	7

2.4	Description on family Porcellidiidae	8
2.5	Significance of studying taxonomy	10
<b>CHAPTER 3: METHODOLOGY</b>		11
3.1	Sampling site	11
3.2	Field collection and processing	12
3.3	Laboratory work	12
3.3.1	Sorting	12
3.3.2	Dissection and slide preparation	13
3.3.3	Observation and Identification	13
3.3.4	Identification under Scanning Electron Microscope (SEM)	16
<b>CHAPTER 4: RESULTS</b>		17
4.1	Identification key	19
4.2	Species description	22
4.2.1	<i>Porcellidium ofunatense</i>	22
4.2.2	<i>Porcellidium yoroium</i>	31
4.2.3	<i>Porcellidium brevicaudatum</i>	39
4.3	Species comparison	47
<b>CHAPTER 5: DISCUSSION</b>		50
5.1	Taxonomic study	53

<b>CHAPTER 6: CONCLUSION</b>	56
<b>REFERENCES</b>	57
<b>APPENDICES</b>	62
<b>CURICULUM VITAE</b>	65

## LIST OF TABLES

Table	Page
4.1 Setal formula for <i>P. ofunatense</i> , <i>P.yoroium</i> and <i>P. brevicaudatum</i>	48

## LIST OF FIGURES

Figure	Page
2.1 Dorso-ventrally shape of porcellidiidae body	9
3.1 Location of the study area at Sungai Pulai, Johor	11
3.2 3 .2: A, basic structure of P2-P4; B, P5; showing a setal formula that counted shown by the arrows.	15
4.1 Dorsal view of <i>Porcellidium ofunatense</i> , <i>Porcellidium. yoroium</i> <i>Porcellidium brevicaudatum</i> under 100x Magnification	17
4.2 Ventral view of <i>Porcellidium ofunatense</i> , <i>Porcellidium. yoroium</i> <i>Porcellidium brevicaudatum</i> under 100x Magnification	18
4.3 <i>Porcellidium ofunatense</i> . Female. A. Antenna. B. Antennule. C. Maxiliped.; D. Mandible.	26
4.4 <i>Porcellidium ofunatense</i> . Female. A. P1 (Leg 1). B. Caudal rami. C. P5 (Leg 5) Urosome with caudal rami.	27
4.5 <i>Porcellidium ofunatense</i> . Female. A. P2 (leg 2). B. P3 (leg 3). C. P4 (leg 4).	28
4.6 <i>Porcellidium ofunatense</i> . A. Dorsal view of the body showing the 5 segment B. ventral view of the body showing the arrangement of the legs. (P1-P5)	29
4.7 <i>Porcellidium ofunatense</i> (female). A dorsal surface of cephalosome right sides showing dorsal pits and network of ridges. Antennule at the upper of cephalosome consists of 6 segments. B. parts of caudal rami were showing close proximity of $\alpha$ & $\beta$ setae.	30
4.8 <i>Porcellidium yoroium</i> . Female. A. Antenna. B. Antennule. C. Maxiliped. D. Mandible.	34
4.9 <i>Porcellidium yoroium</i> . Female. A. P1. B. Caudal rami. C. P5. D. Urosome with caudal rami.	35

4.10	<i>Porcellidium yoroium</i> : Female. A. P2. B. P3 C. P4	36
4.11	<i>Porcellidium yoroium</i> FEMALE: A. Dorsal view of the body builds with cuticle. B. Dorsal surface of cephalosome (right side) showing dorsal pits and upper of the cephalosome have an antennule which consist of 6 segments.	37
4.12	<i>Porcellidium yoroium</i> FEMALE. A. Enlargement of pits. B. Part of urosome and caudal rami showing pattern of strong ridges on urosome.	38
4.13	<i>Porcellidium brevicaudatum</i> ; Female. A. Antenna. B. Antennule. C. Mandible. D. Maxillule.	42
4.14	<i>Porcellidium brevicaudatum</i> ; Female. A.P1 (leg 1). B.P5 (leg 5). C. Urosome with caudal rami.	43
4.15	<i>Porcellidium brevicaudatum</i> ; Female. A. P2 (leg 2). B. P3 (leg 3). C.P4 (leg 4)	44
4.16	<i>Porcellidium brevicaudatum</i> Thompson and T. Scott 1903, FEMALE. A. Dorsal view of the body. B. Ventral view of the body showing the mouth part and legs 1-5	45
4.17	<i>Porcellidium brevicaudatum</i> Thompson and T. Scott 1903, FEMALE, A. Part of urosome and caudal rami showing the arrangement of $\alpha$ & $\beta$ setae. B. Enlargement of pits on the dorsal surface of cephalosome.	46

## **LIST OF ABBREVIATIONS**

Mm	-	Milimeter
%	-	Percent
CMCP-9	-	Mounting media low viscosity, colourless mountain
P1-P4	-	Thoracic locomotor appendages (non-locomotory), pereipod
P5	-	The fifth appendages (non-locomotory), pereipod
SEM	-	Scanning Electron Microscope
$\alpha$	-	Alpha
$\beta$	-	Beta
$\gamma$	-	Gamma
sp	-	Species

## LIST OF APPENDICES

<b>Appendix</b>		<b>Page</b>
Appendix A	Figure A1: Comparison between species. A. P5 <i>Porcellidium ofunatense</i> B. P5 <i>Porcellidium yoroium</i> . C. P5 <i>Porcellidium brevicaudatum</i>	59
	Figure B1: Comparison between species. A. Caudal rami <i>Porcellidium ofunatense</i> ; B. Caudal rami <i>Porcellidium yoroium</i> ; C. Caudal rami <i>Porcellidium brevicaudatum</i>	60
Appendix B	Figure B1: A. Seaweed sample ( <i>Ulva reticulata</i> ). B. Critical Point Dryer (CPD). C. Gold Cotting D. Scanning Electron Microscope (SEM)	61

## **ABSTRACT**

Order Harpacticoida is the most conspicuous free living copepods in the marine benthic habitats. They showed an amazing diversity of forms and adapted to widely differing types of environment. A taxonomic study on the harpacticoida from family Poircellidiidae was carried out at Sungai Pulai, Johore. The samples were collected from the seaweed, *Ulva reticulata*. Taxonomic characters were observed under a compound microscope attached with lucida tube. There were three species from family Porcellidiidae were found in this study which were *Porcellidium ofunatense*, *Porcellidium yoroium* and *Porcelidium brevicaudatum*. All the species showed the similarity in body shape which was dorso-ventrally flattened. The identification for these species was done by comparing their morphological structure with the established keys. Scanning Electron Microscope (SEM) was used to examine the fine structure such as pits, collared sensillae and network of ridges on the body surface of these harpacticoid. This study was considered as a new founding for this family of harpacticoid in Malaysian waters.

**TAKSONOMI DAN UTRASTRUKTUR HARPAKTIKOID (FAMILI  
PORCELLIDIIDAE) DARIPADA RUMPAI LAUT (*Ulva reticulata*) DI SUNGAI  
PULAI, JOHOR.**

**ABSTRAK**

Order Harpactikoida adalah haiwan kopepod yang hidup bebas dalam habitat marin bentik. Ia menunjukkan kepelbagaian bentuk yang menakjubkan dan boleh beradaptasi dengan pelbagai jenis persekitaran yang berbeza. Satu kajian taksonomi harpaktikoid dari famili Porcellidiidae telah dijalankan di Sungai Pulai, Johor. Sampel telah diambil daripada rumpai laut, *Ulva reticulata*. Ciri taksonomi telah diperhatikan dibawah mikroskop kompaun yang dilengkapi kamera lucida. Sebanyak tiga spesies daripada famili Porcellidiidae telah dijumpai dalam kajian ini iaitu *Porcellidium ofunatense*, *Porcellidium yoroium* dan *Porcellidium brevicaudatum*. Kesemua spesies ini menunjukkan persamaan pada bentuk badan iaitu leper dari bahagian atas hingga ke bawah. Identifikasi untuk spesies ini dilakukan dengan membandingkan bahagian anatomi spesies yang dijumpai dengan kajian yang terdahulu. Mikroskop Elektron Pengimbas juga digunakan untuk melihat struktur yang halus seperti lubang-lubang, kolar sensillae dan jaringan ridges pada permukaan badan harpaktikoid ini. Kajian ini merupakan penemuan baru bagi famili harpacticoid ini di Malaysia.