

**EFFECT OF AZURIN FERTILIZER ON GROWTH, FLOWERING,  
FRUITING AND ON HARVEST QUALITY OF TOMATO  
ON IMPROVED BPS SOIL**

**SITI NOR AZURIN BINTI JAWIUDIN**

bpd  
LP  
24  
FASM  
1  
2010

**KOLEJ TEKNOLOGI DAN SAINS MARLAYSIA  
UNIVERSITI MARA SULTAN ABDUL SAMAD**

N: 7905

1100084428

Perpustakaan Sultanah Nur Zahirah  
Universiti Malaysia Terengganu (UMT)

bpd

LP 24 FASM 1 2010



1100084428

Effects of foliar fertilizer on growth, flowering, fruiting and postharvest quality of tomato on improved bris soil / Siti Nor Azurin Jamaluddin.



PERPUSTAKAAN SULTANAH NUR ZAHRAH  
UNIVERSITI MALAYSIA TERENGGANU (UMT)  
21030 KUALA TERENGGANU

100084428

100084428

Lihatsabah

HAK MILIK  
PERPUSTAKAAN SULTAHAN NUR ZAHIRAH UMT

EFFECT OF FOLIAR FERTILIZER ON GROWTH, FLOWERING, FRUITING  
AND POSTHARVEST QUALITY OF TOMATO ON IMPROVED BRIS SOIL


By  
Siti Nor Azurin Binti Jamaluddin

Research Report submitted in partial fulfillment of  
the requirements for the degree of  
Bachelor of Science in Agrotechnology (Post Harvest Technology)

DEPARTMENT OF AGROTECHNOLOGY  
FACULTY OF AGROTECHNOLOGY AND FOOD SCIENCE  
UNIVERSITI MALAYSIA TERENGGANU  
2010

## ENDORSEMENT

The project report entitled **Effect of Foliar Fertilizer on Growth, Flowering, Fruiting and Post Harvest Quality of Tomato on Improved Bris Soil** by **Siti Nor Azurin binti Jamaluddin**, Matric No. UK 16013 has been received and corrections have been made according to the recommendations by examiners. This report is submitted to the Department of Agrotechnology in partial fulfillment of the requirement of the degree of Science in Agrotechnology (Post Harvest Technology), Faculty of Agrotechnology and Food Science, Universiti Malaysia Terengganu.



(Prof. Madya Hj. Abdullah Mohd Zain)  
Main supervisor

PROF. MADYA ABDULLAH MD. ZAIN  
Penayarah  
Jabatan Agroteknologi  
Fakulti Sains dan Sains Makanan  
Universiti Malaysia Terengganu.

Date: 22 APRIL 2010

.....(signed).....  
(NAME)  
Co supervisor

Date:

## **DECLARATION**

I hereby declare that the work in this thesis is my own except for quotations and summaries which have been duly acknowledged.

Signature : .....



Name : SITI NOR AZURIN BINTI JAMALUDDIN

Matric No. : UK 16013

Date : 22 APRIL 2010

## **ACKNOWLEDGEMENT**

Alhamdulillah, great thanks to Allah S.W.T. for giving me the chance and strength to finish up my Final Year Project in the given time. I am very appreciate this opportunity furthermore I am extremely indebted to my supervisor, Assoc. Prof. Hj. Abdullah bin Mohd Zain that has contributed so much ideas and comment until my project done fluently. And not forgotten my gratitude to Dr. Chuah Tse Seng for giving ideas and guide to complete my thesis.

I would like to thanks to laboratory assistant Mrs. Maizatul Akma, Mrs. Rafidah, Mr. Ruzairie, Mr. Fauzi, Miss Nurul Illyani and Mr. Ridwan for their guidance during my study running.

Special thanks to all my friends' for their support and collaboration to finish up my Final Year Project. Sincere appreciation to precede for your participant.

Finally, foremost grateful to my lovely family for their support and for their continuous moral support and make me to become more strength to fight with my study until finish this project and get the thesis. All of you always in my heart as my inspiration. Nevertheless, Allah S.W.T my ultimate source of strength.. .

## ABSTRACT

Tomato is a climacteric fruit with have a very short life span. Tomato is suitable for planting at highland (above 100m). Nevertheless, some tomato cultivars can be planted in lowland. Rate of fertilization of tomato are different depends on soil type. Bris soil has lower in fertility or less suitable planting tomato and it needs higher fertilizer rate compared with mineral soil. Foliar fertilizers are widely used in vegetable and fruit crops, that contain various macro and micronutrients, which are essential for the proper growth and yield. This study was conducted to determine the effect of foliar fertilizer (Nutri Multi Liquid and Vita Grow Plus) on growth, flowering, fruiting and post harvest quality of tomato on improved bris soil. Physical characteristics were determined by quantitative measurements of plant height, stem diameter, number of flower and number of fruit. Chemical evaluation involved TSS and pH. The results obtained from these studies indicated that there were significant differences ( $P<0.05$ ) in TSS between the application of foliar fertilizer and inorganic fertilizer (NPK Green and NPK Blue). Generally, plant height and stem diameter increased during plant growth but decreased during flowering and fruiting. Foliar fertilizers were found to improve the overall plant growth. However, inorganic fertilizer (NPK Blue) application affected the flowering, fruiting, TSS and fruit pH.

## **ABSTRAK**

Tomato merupakan buah klimakterik yang mempunyai jangka hayat yang singkat. Tomato lebih sesuai ditanam di tanah tinggi (lebih 1000m). Walapun begitu, terdapat juga kultivar-kultivar tomato yang boleh ditanam di tanah rendah. Kadar pembajaan tomato berbeza mengikut jenis tanah. Tanah pasir yang kuraang subur atau sederhana sesuai untuk tanaman tomato dan memerlukan kadar baja yang lebih tinggi berbanding tanah mineral. Baja foliar banyak digunakan untuk sayuran dan buahan yang mengandungi pelbagai makro dan mikronutrien yang diperlukan untuk pertumbuhan dan hasil yang baik. Kajian ini dijalankan untuk menentukan kesan baja foliar (Nutri Multi Liquid dan Vita Grow Plus) ke atas pertumbuhan, pembungaan, pembuahan dan kualiti lepas tuai tomato pada tanah bris yang telah dibaiki. Ciri-ciri fizikal ditentukan melalui ukuran kuantitatif tinggi pokok, diameter stem, bilangan bunga dan bilangan hasil. Penilaian kimia pula melibatkan jumlah pepejal terlarut (TSS) dan pH. Keputusan yang diperolehi dari kajian ini menunjukkan perbezaan yang bererti ( $P<0.05$ ) pada TSS di antara penggunaan baja foliar dan baja tak organik. Secara umumnya, pertumbuhan tinggi dan diameter meningkat sepanjang pertumbuhan tetapi kemerosotan sepanjang pembungaan dan pembuahan. Baja foliar dikenalpasti membantu dalam keseluruhan pertumbuhan. Walaubagaimanapun, baja tak organik (NPK Blue) yang diaplikasi berkesan untuk pembungaan dan pembuahan, TSS dan pH buah.